
## Keysight Technologies IntegraVision Power Analyzer Model PA2203A

## See it, measure it, prove it

The Keysight IntegraVision power analyzer is an intuitive combination of accurate power measurements and touch-driven oscilloscope visualization. Within a single instrument, it delivers the dynamic views you need to see, measure and prove the performance of your design.

# Make all of your critical power measurements with one instrument


- Achieve power analyzer accuracies and scope-like waveform visualization with reduced setup time
- Address multiple test scenarios with the flexibility of wideranging, isolated inputs
- Visualize transients, in-rush currents and state changes with a high-speed digitizer that captures voltage, current and power in real time
- Analyze voltage, current, and power in the time and frequency domains
- Choose from multiple wiring configurations (including Wye and Delta) to acquire 3-phase measurements
- Visualize phase relationships using phasor diagram
- Measure a wide range of current with 2A, 50A, and external probe input standard on every channel
- Explore your design and gain new insights through the 12.1" high-resolution display with touch interface
- Save space on your bench with minimum-depth form factor



## Key specifications

- 4 channels; each measures voltage, current and power; suitable for 1 and 3-phase AC
- Isolated and floating to 1000 Vrms (Cat II)
- 5 M samples/second at 16 bits on every waveform simultaneously
- Basic accuracy: voltage = 0.05% of reading + 0.05% of range; power = 0.1% of reading + 0.05% of range
- Timebase: 50 s/div (500 seconds) maximum; 20 μs/div (200 μs) minimum
- Voltage: Measures 1000 Vrms / 2000 Vpeak with BW up to 2.5 MHz
- Current: Measures current directly using 2 internal shunts (2 Arms and 50 Arms) with BW up to 100 KHz
- Supports external current probes and transducers of up to 10 V full scale with BW up to 2.5 MHz
- Log data to external USB drive with intervals as fast as 50 ms per reading
- Voltage and current measurements of DC, ACrms, ACrms with DC, Frequency, Maximum, Minimum, Crest Factor
- Power measurements of Real Power, Apparent Power, Reactive Power, Phase Angle, Power Factor
- Measures: Voltage or current harmonics up to 250 orders, Efficiency, Amp-Hours, Watt-Hours, VA-Hours
- 29 pre-defined waveform measurements
- Check pre-compliance to IEC 61000-3-2 (classes A, B, C, and D)
- Calibration cycle: 1 year





### www.keysight.com/find/services

Keysight Services helps you improve productivity and product quality with our comprehensive service offerings of one-stop calibration, repair, asset management, technology refresh, consulting, training, and more.



For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

(877) 894 4414

#### Americas Canada

Callaua	(077) 094 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444
Asia Pacific	
Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 11 2626
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866

#### Europe & Middle East

Other AP Countries

Austria Belgium Finland France Germany Ireland Israel Italv Luxembourg Netherlands Russia Spain Sweden Switzerland

(65) 6375 8100

United Kingdom

For other unlisted countries: www.keysight.com/find/contactus (BP-9-7-17)



www.keysight.com/go/quality Keysight Technologies, Inc. DEKRA Certified ISO 9001:2015 Quality Management System

This information is subject to change without notice. © Keysight Technologies, 2017 Published in USA, December 1, 2017 5992-1054EN www.keysight.com